



WIRELESS N 150M ACCESS POINT OUTODOOR TENDA O3 – 2.4GHZ – 5K

Description

CPU Processor
Broadcom 300MHz

Antenna Beamwidth
Horizontal: 60° Vertical: 30°

Waterproof Level
IP64

Remote Web access
Support

Schedule Reboot
Support

Page Timeout
Support

Dyndns
noip, dyndns.org

Network Diagnoses
Ping, Traceroute, Signal Scan

Dimension
270*94.86*67.5mm

Frequency
2.4GHz

Maximum wireless speed
150Mbps

Maximum Transmit Power
800mw(29dbm)

Reception Sensitivity

MCS0: -88dbm

MCS7: -72dbm

Maximum Concurrent Clients

15

Interface

1*FE PoE/WAN/LAN port

1*FE LAN Port

Grounding Terminal

1*RST Button

3G Access

12dbi Directional Antenna

Maximum Power Consumption

6W

Lightning-proof

4KV

LED

PWR,Bridge,LAN,WAN/LAN

Power Supply

PoE Injector (12v 1A,Cat5e or Better Ethernet Cable Length > 60 meters)

Operating Mode

AP/Station/Universal Repeater/Repeater/P2MP/WISP/Router

Standard&Protocol

IEEE 802.11n/g/b

Features

Enable/Disable Wireless Radio

SSID Hidden

Wireless Client isolation

Sensitivity Threshold

WMM Capable

APSD Capable

Wireless Access Control

Wireless Client list

Security

64/128 WEP,WPA-PSK,WPA2-PSK,WPA&WPA2-PSK,WPA,WPA2

Transmit Power

Adjustable power by 1dBm

DHCP Server

DHCP Server

Clients list

VPN Pass-through

PPTP,L2TP

Management Tool

Time&Date Setting
System Log
Firmware update
Backup/Restore Configuration
Username Managerment

Package Content
O3Power Adapter
PoE Injector
Ethernet cable
Quick Installation Guide

Temperature
Operating Temperature:-20? ~ 55
Storage Temperature:-40? ~ 70?

Humidity
Operating Humidity:10%~90% non-condensing
Storage Humidity:10%~90% non-condensing

Default Settings
IP Address: 192.168.2.1
Login Username:admin
Login Password:admin

Certification
FCC/CE/RoHS

Meta Fields

SKU : 44.783

REGULAR PRICE : 49.42

SALE PRICE : 46.95